

---

---

## SAFETY DATA SHEET

---

### Section 1: IDENTIFICATION

**Product Name:** BB Butter  
**Product Code:** B2970-4  
**MSDS Date:** January 8, 2021

Techniweld USA  
3940 Stern Ave  
St. Charles, IL 60174

**General Information:** 1-630-232-6421  
**CHEMTREC:** 1-800-424-9300

### Section 2: HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

**GHS Classification:**  
Eye irritation, (Category 2A)  
Skin irritation (Category 2)

#### GHS Labeling



**Symbol:**

**Signal Word:** Warning

#### Hazard Statements:

May cause serious eye irritation  
May causes skin irritation

#### Precautionary Statements:

**Prevention:**

Wash thoroughly after handling.  
Wear protective gloves/eye protection/face protection.

**Response:**

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists; get medical advice/attention.  
If on skin: Wash with plenty of water.  
If skin irritation occurs: Get medical advice/attention.

**Hazards not otherwise classified:** none

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

No.	Component CAS REG. NO.	Amount %
1	Polyoxyethylene mono(octylphenyl)ether CAS #9002-93-1	Not Available
2	Ethylenediaminetetraacetic Acid CAS #64-02-8	Not Available
3	Monoethanolamine CAS #141-43-5	Not Available
4	Dipropylene Glycol Monomethyl Ether CAS #34590-94-8	Not Available
5	Sodium Hydroxide CAS #1310-73-2	Not Available
6	Carrageenan CAS #9000-07-1	Not Available

#### Section 4: FIRST AID MEASURES

##### Emergency first aid procedures by route of exposure:

**Eye contact:** Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

**Skin contact:** For skin contact flush with large amounts of water. If irritation persists get medical attention.

**Inhalation:** If symptoms are experienced, remove source of contamination or move victim to fresh air. If symptoms persist, get medical attention.

**Ingestion:** If ingested, rinse mouth with water. Consult a physician if needed.

#### Section 5: FIRE FIGHTING MEASURES

**Extinguishing Media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special Hazards:** Carbon oxides

**Advice for firefighters:** Wear self-contained breathing apparatus for firefighting, if necessary.

#### Section 6: ACCIDENTAL RELEASE MEASURES

**Personal Protection:** Use personal protective equipment. Ensure adequate ventilation.

**Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Method for Containment:** Prevent entry into waterways, sewers, basements or confined areas.

**Methods for Clean-up:** Wear appropriate protective equipment and clothing during clean-up. Soak up with inert absorbent material and dispose of in closed containers designed for disposal.

## Section 7: HANDLING AND STORAGE

**Handling:** Avoid contact with skin and eyes. Wash hands thoroughly after handling

**Storage:** Store in a cool place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## Section 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

No.	Component CAS REG. NO.	OSHA		ACGIH	
		TWA	STEL	TWA	STEL
1	Polyoxyethylene mono(octylphenyl)ether CAS #9036-19-5	Not avail.	Not avail.	Not avail.	Not avail.
2	Ethylenediaminetetraacetic Acid CAS #64-02-8	Not avail.	Not avail.	Not avail.	Not avail.
3	Monoethanolamine CAS #141-43-5	3 ppm	6 ppm	3 ppm	6 ppm
4	Dipropylene Glycol Monomethyl Ether CAS #34590-94-8	100 ppm	Not avail.	100 ppm	150 ppm
5	Sodium Hydroxide CAS #1310-73-2	2 mg/m3	Not avail.	2 mg/m3	Not avail.
6	Carrageenan CAS #9000-07-1	Not Avail.	Not Avail.	Not Avail.	Not Avail.

**Engineering Control:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of the workday.

### Personal Protective Equipment (PPE)

**Eye/Face Protection:** Face shield and/or safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

**Hand Protection:** Handle with nitrile rubber gloves. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** If ventilation is not sufficient to effectively prevent buildup of vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

### Other Protective Equipment:

Facilities storing or utilizing this material should be equipped with eyewash and safety shower facilities.

See section 3 for exposure limits.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	Collid
<b>Form</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	Solid
<b>Color</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	Light yellow
<b>pH</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Melting/Freezing Point</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	43°F (6°C)
<b>Boiling Point</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	>392°F (>200°C)
<b>Flash Point</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	>484°F (251°C) – closed cup
<b>Evaporation Rate</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Flammability</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Upper Explosion Limit</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Lower Explosion Limit</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Vapor Pressure</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	>1.33 hPa (<1.00 mmHg) at 20°C (68°F)
<b>Vapor Density</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Relative Density</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	1.06 g/mL at 25°C (77°F)
<b>Water Solubility</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	soluble
<b>Partition Coefficient</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Auto Ignition Temperature</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Decomposition Temperature</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available
<b>Viscosity</b> <i>Polyoxyethylene mono(octylphenyl)ether</i>	No data available

## Section 10: STABILITY AND REACTIVITY

**Reactivity:** No data available

**Chemical Stability:** This material is considered stable under recommended storage conditions.

**Possibility of Hazardous Reactions:** No data available

**Condition to Avoid:** No data available

**Incompatible Materials:** This product reacts with strong acid, strong bases, and oxidizing agents.

**Hazardous Decomposition:** No data available

## Section 11: TOXOCOLOGICAL INFORMATION

### **Polyoxyethylene mono(octylphenyl)ether (9036-19-5)**

LD50 Oral – Rat – 1,800 mg/kg

Inhalation: No data available

LD50 Dermal – Rabbit – 8000 mg/kg

**Skin corrosion/irritation** No data available

**Serious eye damage/eye irritation** Result: Moderate eye irritation -24 h

**Respiratory or skin sensitization** No data available

**Germ cell mutagenicity** No data available

**Carcinogenicity** Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA

**Reproductive** No data available

**Additional Information** No data available

**Ethylenediaminetetraacetic acid, tetrasodium salt (64-02-8)**

LD50 Oral – Rat – 1,720 mg/kg

No data available

LD50 Dermal – Rabbit – 1,015 mg/kg

**Skin corrosion/irritation** Causes skin irritation**Serious eye damage/eye irritation** Result: Moderate risk of serious eye damage**Respiratory or skin sensitization** Result: Does not cause skin sensitization**Germ cell mutagenicity** In vitro tests did not show mutagenic effects**Carcinogenicity** Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA**Reproductive** No data available**Additional Information** May be harmful if swallowed**Monoethanolamine (141-43-5)**

LD50 Oral – Rat – 1,800 mg/kg

Inhalation: No data available

LD50 Dermal – Rabbit – 1,015 mg/kg

**Skin corrosion/irritation** No data available**Serious eye damage/eye irritation** Result: Severe eye irritation**Respiratory or skin sensitization** No data available**Germ cell mutagenicity** No data available**Carcinogenicity** Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA**Reproductive** No data available**Additional Information** Liver – Irregularities – Based on Human Evidence**Dipropylene Glycol Monomethyl Ether (34590-94-8)**

LD50 Oral – Rat – 5,152 mg/kg

Inhalation: No data available

Dermal: No data available

**Skin corrosion/irritation** No data available**Serious eye damage/eye irritation** Result: Mild eye irritation – 24 h**Respiratory or skin sensitization** No data available**Germ cell mutagenicity** No data available**Carcinogenicity** Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA**Reproductive** No data available**Additional Information** No data available**Sodium Hydroxide (1310-73-2)**

Oral: No data available

Inhalation: No data available

Dermal: No data available

**Skin corrosion/irritation** Result: Causes severe burns. – 24 h**Serious eye damage/eye irritation** Result: Corrosive – 24 h**Respiratory or skin sensitization** No data available**Germ cell mutagenicity** No data available**Carcinogenicity** Not identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA**Reproductive** No data available**Additional Information** Material is extremely destructive to tissue of the mucous membranes and upper respiratory Tract, eyes, and skin.

## Section 12: ECOLOGICAL INFORMATION

Polyoxyethylene mono(octylphenyl)ether (9002-93-1)  
LC50 – Pimephales promelas (fathead minnow) – 8.9 mg/l – 96.0 h,  
EC50 - Daphnia (water flea) – 26 mg/l – 48 h

Ethylenediaminetetraacetic a (64-02-8)  
LC50: > 1—mg/1 Exposure time: 96 h Species: Fish  
EC50: > 500 mg/1 Exposure time: 24 h Species: Daphnia magna (Water flea)  
EC50: > 100 mg/1 Exposure time: 72 h Species: alga

Monoethanolamine (141-43-5)  
EC50 - Desmodesmus subspicatus (green algae) – 15 mg/l – 72 h  
EC50 - Daphnia magna (Water flea) – 65 mg/l – 48 h  
LC50 – Pimephales promelas (fathead minnow) – 227 mg/l – 96 h

Dipropylene Glycol Monomethyl Ether (34590-94-8)  
LC50 – Pimephales promelas (fathead minnow) - > 10,000 mg/l – 96 h  
EC50 – Daphnia magna (Water flea) – 1,919 mg/l – 48 h

Sodium Hydroxide (1310-73-2)  
LC50 – Gambusia affinis (Mosquito fish) – 125 mg/l – 96 h  
LC50 – Oncorhynchus mykiss (rainbow trout) – 45.4 mg/l – 96 h  
EC50 – Daphnia (Water flea) – 40.38 mg/l – 48 h

## Section 13: DISPOSAL CONSIDERATIONS

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Section 14: TRANSPORT INFORMATION

Not regulated as a dangerous good.

## Section 15: REGULATORY INFORMATION

**TSCA Inventory:** These products and/or its components are listed on the Toxic Substance Control Act (TSCA) inventory.

Polyoxyethylene mono(octylphenyl)ether (9002-93-1)  
**SARA 302/304** No components were identified  
**SARA 313** No components were identified  
**CERCLA** No components were identified  
**SARA 311/312** Acute Health Hazard  
**PROP 65** No components were identified

Ethylenediaminetetraacetic acid, tetrasodium (64-02-8)  
**SARA 302/304** No components were identified  
**SARA 313** No components were identified  
**CERCLA** No components were identified  
**SARA 311/312** Acute Health Hazard, Chronic Health Hazard  
**PROP 65** No components were identified  
Monoethanolamine (141-43-5)

---

<b>SARA 302/304</b>	No components were identified
<b>SARA 313</b>	No components were identified
<b>CERCLA</b>	No components were identified
<b>SARA 311/312</b>	Fire Hazard, Acute Health Hazard, Chronic Health Hazard
<b>PROP 65</b>	No components were identified

Dipropylene Glycol Monomethyl Ether (34590-94-8)

<b>SARA 302/304</b>	No components were identified
<b>SARA 313</b>	No components were identified
<b>CERCLA</b>	No components were identified
<b>SARA 311/312</b>	Fire Hazard, Chronic Health Hazard
<b>PROP 65</b>	No components were identified

Sodium Hydroxide (1310-73-2)

<b>SARA 302/304</b>	No components were identified
<b>SARA 313</b>	No components were identified
<b>CERCLA</b>	RQ=1,000 lbs
<b>SARA 311/312</b>	Acute Health Hazard, Chronic Health Hazard
<b>PROP 65</b>	No components were identified

## Section 16: OTHER SUPPLEMENTAL INFORMATION

Prepared by: Techniweld USA on 1/08/2021

[www.twusa.com](http://www.twusa.com)

### Disclaimer:

The information and recommendations contained in the Safety Data Sheet (SDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date thereof.

Techniweld USA, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will Techniweld USA be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY TECHNIWELD USA HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.